

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 - 10mg

Tested for: Neo Blue Logistics

PASS

COA #: COA-2026-953600
Lot Number: LOT# BP-BC10-1001
Labeled Content: 10mg
Sample Matrix: Lyophilized

Analysis Date: 07/09/2026
Appearance: Good
Sample Matrix: Lyophilized
Vial Size: 3mL
Date Received: 07/01/2026



Scan to verify
authenticity at ils-lab.com
Access Code: 8YKH4JDE

Method: Full QC Panel

Identity

BPC-157


Peptide Purity

99.94%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.94%	%	PASS
Net Peptide Content	Report Only	10.42	mg	N/A
Identity (HPLC-RTM)	BPC-157	Confirmed	-	PASS

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.71%	10.65 mg	Confirmed	PASS
Conformity V1	99.94%	10.42 mg	Confirmed	PASS
Mean	99.82%	10.54 mg	—	—
Std Dev	0.1150%	0.1150 mg	—	—

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Bacterial Endotoxin (LAL)	Report Result	Pending	PENDING



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/9/2026

COA #: COA-2026-953600
Access Code: 8YKH4JDE
Verify: <portal.ils-lab.com/verify/lfq3-BFwVAWEoyj5>
Issued: 7/9/2026

Notes & Methodology

- 1. Date Tested: 07/09/2026. Methods: Full QC Panel.
- 2. The sample was confirmed to be BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- 4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- 5. Chromatogram shown is representative: Dedicated V0 (99.71% purity, closest to batch mean of 99.82%).




Dr. Greg Kalyuzhny
Lab Director
7/9/2026

COA #: **COA-2026-953600**
Access Code: **8YKH4JDE**
Verify: <portal.ils-lab.com/verify/lfq3-BFwVAVEoyj5>
Issued: 7/9/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 - 10mg

Tested for: Neo Blue Logistics

PASS

COA #: COA-2026-953599
Lot Number: LOT# BP-BC10-1001
Labeled Content: 10mg
Sample Matrix: Lyophilized

Analysis Date: 07/09/2026
Appearance: Good
Sample Matrix: Lyophilized
Vial Size: 3mL
Date Received: 07/01/2026



Scan to verify
authenticity at ils-lab.com
Access Code: KFUXEEZN

Method: Full QC Panel

Identity

BPC-157

Peptide Purity

99.71%


Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.71%	%	PASS
Net Peptide Content	Report Only	10.65	mg	N/A
Identity (HPLC-RTM)	BPC-157	Confirmed	-	PASS



BPC-157 10mg - LOT# BP-BC10-1001

HPLC Chromatogram



Representative chromatogram, Dedicated V0

Heavy Metals (ICP-MS)

Analyte	Specification	Result	Unit	Status
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	Not Detected	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	Not Detected	ppm	PASS
Lead (Pb)	<= 1.0 ppm	Not Detected	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	Not Detected	ppm	PASS
Chromium (Cr)	<= 10.0 ppm	Not Detected	ppm	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/9/2026

COA #: COA-2026-953599

Access Code: KFUXEEZN

Verify: portal.ils-lab.com/verify/WaXPQj7TTuA70ZcQ

Issued: 7/9/2026

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.71%	10.65 mg	Confirmed	PASS
Conformity V1	99.94%	10.42 mg	Confirmed	PASS
Mean	99.82%	10.54 mg	—	—
Std Dev	0.1150%	0.1150 mg	—	—

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.144 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/09/2026. Methods: Purity & Quant (HPLC); Heavy Metals (ICP-MS).
2. The sample was confirmed to be BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
5. Chromatogram shown is representative: Dedicated V0 (99.71% purity, closest to batch mean of 99.82%).




Dr. Greg Kalyuzhny
Lab Director
7/9/2026

COA #: COA-2026-953599
Access Code: KFUXEEZN
Verify: portal.ils-lab.com/verify/WaXPQj7TTuA70ZcQ
Issued: 7/9/2026