

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GHK-Cu - 50mg

Tested for: Neo Blue Logistics

PASS

COA #: COA-2026-RDFS5W
Lot Number: LOT# BP - CU50 - 1001
Accession #: ACC-2026-10827
Labeled Content: 50mg

Analysis Date: 08/03/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 07/17/2026



Scan to verify
authenticity at ils-lab.com
Access Code: 2RF5YNE6

Method: Full QC Panel

Identity

GHK-Cu

Peptide Purity

99.78%



Fentanyl
Free


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.78%	%	PASS
Net Peptide Content	Report Only	52.34	mg	N/A
Identity (HPLC-RTM)	GHK-Cu	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



GHK-Cu 50mg - LOT# BP - CU50 - 1001

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.78%	52.34 mg	Confirmed	PASS
Conformity V1	97.21%	50.61 mg	Confirmed	PASS
Mean	98.50%	51.48 mg	—	—
Std Dev	1.2850%	0.8650 mg	—	—



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
8/3/2026

COA #: COA-2026-RDFS5W
Access Code: 2RF5YNE6
Verify: portal.ils-lab.com/verify/3eSc9DIHXe7TD4xT
Issued: 8/3/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	0.087	PASS
Cadmium (Cd)	NMT 0.5 ppm	0.12	PASS
Lead (Pb)	NMT 1.0 ppm	0.076	PASS
Mercury (Hg)	NMT 1.5 ppm	0.0541	PASS
Chromium (Cr)	NMT 10.0 ppm	2.79	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.11 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 08/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be GHK-Cu by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (99.78% purity, closest to batch mean of 98.50%).




Dr. Greg Kalyuzhny
Lab Director
8/3/2026

COA #: COA-2026-RDFS5W
Access Code: 2RF5YNE6
Verify: <portal.ils-lab.com/verify/3eSc9DIHXe7TD4xT>
Issued: 8/3/2026